

Beta — EASY —



2022

**Promotion valid
until 31/12/2022**

www.beta-tools.com

Beta
— EASY —

RANGE 2022



1/4

860EA/31

008600992



Set of 30 bits with magnetic bit holder, in plastic case

31x



	861LP	●	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	861PH	⊕	PH1-PH2-PH3
	861PZ	⊕	PZ1-PZ2-PZ3
	861PE	○	2-3-4-5-6-8 mm
	861TX	⊗	T8-T9-T10-T15-T20-T25-T27-T30-T40
	861PQ	○	1-2-3 mm
	882M1	○ 1/4 - ● 1/4	

4 mm

1256/C21-1

012560122



Set of 21 bits with magnetic bit holder, in plastic case

22x



	1256LP	●	1,5-2-2,5 mm
	1256PH	⊕	PH0-PH1
	1256PZ	⊕	PZ0-PZ1
	1256PE	○	0,7-0,9-1,3-1,5-2-2,5-3 mm
	1256TX	⊗	T4-T5-T6-T7
	1256RTX	⊕	T8-T10-T15
		4 mm	99 mm

14"

903E/C42

009031042

Assortment of 13 hexagon sockets, 18 bits, 4 offset hexagon key wrenches and 7 accessories, in plastic case

42x



190x160x60 mm

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55	⊗	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/42		115 mm
	C900/30		150 mm
	96	○	1,3-1,5-2-2,5 mm
	C900AD	⊗	14"
	861LP	●	⊗ 0,6x4-0,8x5,5-1,2x6,5 mm
	861PH	⊕	⊗ PH1-PH2-PH3
	861PZ	⊕	⊗ PZ1-PZ2-PZ3
	861PE	○	⊗ 3-4-5-6 mm
	861TX	⊗	⊗ T10-T15-T20-T25-T30

3/8"

913E/C33

009131033



Assortment of 28 hexagon sockets and 5 accessories, in plastic case



	C910A	○	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
	C910AL	○	8-9-10-12-13-14-17-19 mm
	C956E	○	16 mm (5/8") 21 mm (13/16")
	910E/55	⊗	
	C910/25		
	C910/21		75 mm
	C910/22		150 mm
	C920/15F		□ 1/2" - ■ 3/8"

285x210x84 mm

1/2"

923E/C25

009231025



Assortment of 20 hexagon sockets and 5 accessories, in plastic case



	C920A	○	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
	920E/55	⊗	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F		□ 3/8" - ■ 1/2"

285x210x84 mm



12"

923E-PE/C18




009231028



Assortment of 18 sockets drivers for hexagon screws, in plastic case



285x210x84 mm

 55 mm	C920PE	⊙	4-5-6-7-8-10-12 14-17-19 mm
 100 mm	C920PE-L	⊙	4-5-6-7-8 mm
 140 mm	C920PE-XL	⊙	10-12-14 mm

12"

923E-TX/C18




009231018



Assortment of 18 sockets drivers for Torx® head screws, in plastic case



285x210x84 mm

 55 mm	C920TX	⊙	T20-T25-T27-T30-T40- T45-T50-T55-T60-T70
 100 mm	C920TX-L	⊙	T20-T25-T27-T30-T40
 140 mm	C920TX-XL	⊙	T45-T50-T55

12"

923E-FTX/C17



009231017



Assortment of 17 hand sockets for Torx® head screws, in plastic case



285x210x84 mm

	C920FTX	⊙	E10-E12-E14-E16-E18-E20- E22-E24
	C920TX	⊙	T20-T25-T27-T30-T40-T45- T50-T55-T60

3/4"

928E/C17

009282017

Assortment of 12 hexagon sockets and 5 accessories, in plastic case



	C928A	○	22-24-27-30-32-34-36-38-41-46-50-55 mm
	C928/55	⊕	
	C928/25		
	C928/21		100 mm
	C928/22		200 mm
	C928/42		455 mm

555x370x92 mm



1/4" 1/2"

903E/C98

009031098

Assortment of 45 hexagon sockets, 35 bits, 4 offset hexagon key wrenches and 14 accessories, in plastic case



1/4"		C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
		C900L	○	6-7-8-9-10-11-12-13 mm
		900E/55	⊕	
		C900/25		
		C900/20		50 mm
		C900/20L		100 mm
		C900/30		150 mm
		C900/42		115 mm

1/2"		C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
		C920L	○	14-15-17-19-22 mm
		C956C	○	16 mm (5/8") - 21 mm (13/16")
		920E/55	⊕	
		C920/25		
		C920/21		125 mm
		C920/22		250 mm

	C910/16F		□ 3/8" - ■ 1/2"
	C895/6		□ 1/2" - ○ 5/16"
	C900AD	⊕ 14"	
	892/0	● 1/4" - ■ 1/4"	

375x295x84 mm



	861PH	⊕	⊕ PH1-PH2
	861PZ	⊕	⊕ PZ1-PZ2
	861PE	○	⊕ 3-4-5-6 mm
	861LP	●	⊕ 0,6x4-0,8x5,5-1,2x6,5 mm
	861TX	⊕	⊕ T10-T15-T20-T25-T27-T30
	C866LP	●	⊕ 1,6x8-1,6x10-2,0x12 mm
	C866PH	⊕	⊕ PH3-PH4
	C866PZ	⊕	⊕ PZ3-PZ4
	866PE	○	⊕ 7-8-10-12-14 mm
	866TX	⊕	⊕ T40-T45-T50-T55-T60-T70
	96	○	○ 1,3-1,5-2-2,5 mm

1/4" 3/8" 1/2"

903E/C170

009031170

Assortment of 74 hexagon sockets,
42 bits, 30 socket drivers,
7 offset hexagon key wrenches
and 17 accessories,
in plastic case



453x375x90 mm

1/4"

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900L	○	4-5-6-7-8-9-10 mm
	900E/55	⊕	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/30		150 mm
	C900/42		115 mm
	C900FTX	⊗	E4-E5-E6-E7-E8
	C900LP	●	0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm
	C900PH	⊕	PH0-PH1-PH2
	C900PZ	⊕	PZ0-PZ1-PZ2
	C900ME	○	3-4-5-6 mm
	C900TX	⊗	T08-T09-T10-T15-T20-T25-T27-T30
	C900RTX	⊗	T08-T09-T10-T15-T20-T25-T27-T30

3/8"

	C910A	○	10-11-12-13-14-15-16-17-18-19 mm
	C910AL	○	10-11-12-13-14-15 mm
	C910FTX	⊗	E10-E11-E12-E14-E16
	C956E	○	18 mm (11/16")
	910E/55	⊕	
	C910/25		
	C910/22		150 mm

1/2"

	C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	C920L	○	16-17-18-19-22 mm
	C920FTX	⊗	E18-E20-E24
	C956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊕	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F	□ 3/8" - ■ 1/2"	

	96	○	0,9-1,5-2-2,5-3-4-5 mm
	C895/4	□ 3/8" - ○ 5/16"	
	C895/6	□ 1/2" - ○ 5/16"	
	C900AD	⊗ - ⊗	
	892/0	⊗ - ⊗	
	861RTX	⊗	T09-T10-T15-T20-T25-T27-T30-T40
	861TX	⊗	T6-T7-T8
	861RIBE	⊗	7-8-9 mm
	861XZN	⊗	5-6-8 mm
	C866LP	●	1,6x8-1,6x10-2,0x12 mm
	C866PH	⊕	PH3-PH4
	C866PZ	⊕	PZ3-PZ4
	866PE	○	7-8-10-12-14 mm
	866TX	⊗	T40-T45-T50-T55-T60-T70
	866RTX	⊗	T40-T45-T50-T55-T60-T70



1/4" 1/2"

2046E/C116
020460116

Tool case with assortment of 116 general maintenance tools, in plastic case



453x375x90 mm

1/4"

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900L	○	6-7-8-9-10-11-12-13 mm
	900E/55	⊕	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/30		150 mm
	C900/42		115 mm

1/2"

	C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	C920L	○	14-15-17-19-22 mm
	C956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊕	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F	□	3/8" - 1/2"
	C895/6F	□	1/2" - 5/16"

	C900AD	⊕	1/4"
	892/0	⊕	1/4" - 1/4"
	861PH	⊕	PH1-PH2
	861PZ	⊕	PZ1-PZ2
	861PE	○	3-4-5-6 mm
	861LP	⊕	0,6x4-0,8x5,5-1,2x6,5 mm
	861TX	⊕	T10-T15-T20-T25-T27-T30
	C866LP	⊕	1,6x8-1,6x10-2,0x12 mm
	C866PH	⊕	PH3-PH4
	C866PZ	⊕	PZ3- PZ4
	866PE	○	7-8-10-12-14 mm
	866TX	⊕	T40-T45-T50-T55-T60-T70
	42C	⊕	7-8-9-10-11-12-13-14-15-16-17-18-19 mm
	96/SC9	○	1,5-2-2,5-3-4-5-6-8-10 mm



1/4" 12"

2047E/C108
020470008

Tool case with assortment of 108 general maintenance tools, in plastic case

x 108



555x370x92 mm

1/4"

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55	⊕	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/30		150 mm
	C900/42		115 mm

1/2"

	C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	C956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊕	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F		□ 3/8" - ■ 1/2"

860EA/31

	861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	861PH	1-2-3
	861PZ	1-2-3
	861PE	2-3-4-5-6-8 mm
	861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
	861PQ	1-2-3 mm
	882M1	○ 1/4 - ● 1/4



	C900AD	⊕ 1/4"	
	42C	⊕	7-8-9-10-11-12-13-14-15-16-17-18-19 mm
	96/SC9	○	1,5-2-2,5-3-4-5-6-8-10 mm
	1048		250 mm
	1082CM	⌒	160 mm
	1150CM	≡	180 mm
	1166CM	●	160 mm
	1201E	●	3x75-4x100-5,5x125-6,5x150mm
	1202E	⊕	PH1-PH2
	1370C		300 g



14"

2054E-100

020540001

Tool case with assortment of 100 GENERAL MAINTENANCE TOOLS

- Integrated soft foam tray



400x300x140 mm

	42C		6-7-8-9-10-11-12-13-14-15-16-17-19 mm
	96K/SP9		1,5-2-2,5-3-4-5-6-8-10 mm
	1048C		250 mm
	1082CM		160 mm
	1150CM		180 mm
	1166CM		160 mm
	1201E		3x75-5,5x100-6,5x150 mm
	1202E		PH0x60-PH1x80-PH2x100 mm
	1253		3,5x100 mm
	1370C		300 g
	1692/3		3 m
	1770A		9 mm
	1770RL		10x
	1777BM		190 mm
	1725CR		150 mm

860EA/31

	861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	861PH	1-2-3
	861PZ	1-2-3
	861PE	2-3-4-5-6-8 mm
	861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
	861PQ	1-2-3 mm
	882M1	○ 1/4 - ● 1/4



14"

	882P/80	○ 1/4 - ● 1/4
	895 /1	○ 1/4 - □ 1/4
	C900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900/20	50 mm
	C900/20L	100 mm
	C900/25	
	C900/30	150 mm
	C900/42	115 mm
	C900/48	150 mm



1/4" 3/8"

2054E-128

020540002

Tool case with assortment of 128 GENERAL MAINTENANCE TOOLS

- Integrated soft foam tray

x 128



860EA/31

	861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	861PH	1-2-3
	861PZ	1-2-3
	861PE	2-3-4-5-6-8 mm
	861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
	861PQ	1-2-3 mm
	882M1	○ 1/4 - ● 1/4



1256/C21-1

	1256LP	● 1,5-2-2,5 mm
	1256PH	⊕ PH0-PH1
	1256PZ	⊕ PZ0-PZ1
	1256PE	○ 0,7-0,9-1,3-1,5-2-2,5-3 mm
	1256TX	○ T4-T5-T6-T7
	1256RTX	⊕ T8-T10-T15
		4 mm 99 mm



400x300x140 mm

	42C	⊗ 7-8-9-10-11-12-13-14-15-16-17-19 mm
	96K/SP9	○ 1,5-2-2,5-3-4-5-6-8-10 mm
	1048C	250 mm
	1082CM	160 mm
	1150CM	180 mm
	1166CM	160 mm
	1201E	● 3x75-5,5x100-6,5x150 mm
	1202E	⊕ PH0x60-PH1x80-PH2x100 mm
	1128BMXC	150 mm
	1370C	300 g
	1692/3	3 m
	1771	3x 18 mm
	1771RL	10x
	1833XS/2	133 mm Batteries: 2xAAA (not included)

1/4"

	895 /1	○ 1/4 - □ 1/4
	C900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm
	C900/20L	100 mm
	C900/25	
	C900/30	150 mm
	C900/42	115 mm
	C900/48	⊕ 150 mm

3/8"

	C910A	○ 14-15-17-18-19-22-24 mm
	C910/22	150 mm
	C910/25	
	C910/72	⊕ 200 mm
	C920/15F	□ 1/2" - ■ 3/8"



14" 12"

2056E

020560010

**Tool case with assortment of
163 GENERAL MAINTENANCE TOOLS**

- Removable interior tool panel
- Integrated soft foam tray



465x330x170 mm

x
163



Tool case + 163 tools

861/C61

●	861LP	0,5x3 (2)-0,5x4(2)- 0,6x4,5(2)-0,8x5(2)- 1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
+	861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
+	861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
○	861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊙	861TX	T9-T10-T15-T20-T25 T27-T30-T40
		○ 1/4 - ● 1/4



1256/C21-1

	1256LP	●	1,5-2-2,5 mm
	1256PH	+	PH0-PH1
	1256PZ	+	PZ0-PZ1
	1256PE	○	0,7-0,9-1,3-1,5-2-2,5-3 mm
	1256TX	⊙	T4-T5-T6-T7
	1256RTX	⊙	T8-T10-T15
		4 mm	99 mm



	42C	⊙	8-9-10-11-12-13-14-15- 16-17-18-19 mm
	96BPC/SK9	○	1,5-2-2,5-3-4-5-6-8-10 mm
	111		250 mm
	1048C		250 mm
	1082CM	↕	160 mm
	1150CM	=	180 mm
	1166CM	●	160 mm
	1201E	●	2,5x50-3x75-4x125- 5,5x150-6,5x150-8x150 mm
	1202E	+	PH1x80-PH2x100 mm
	1209E/PZ	+	PZ1x80-PZ2x100 mm
	1128BMXC		150 mm
	1253	●	3,5x100 mm
	1370C		300 g
	1692/5		5 m
	1725CR		150 mm
	1771	3x	18 mm

Tool trolley +163 tools



1/4" 1/2"

2056T/E
020560110

**Tool trolley with assortment of
163 GENERAL MAINTENANCE TOOLS**

- Adjustable telescopic handle
- Removable interior tool panel
- Integrated soft foam tray

1/4"

	895 /1	Ⓢ 1/4"
	C900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900/20	50 mm
	C900/20L	100 mm
	C900/25	
	C900/30	150 mm
	C900/42	115 mm
	C900/48	Ⓢ 150 mm

1/2"

	C920A	○ 10-11-12-13-14-15-16-17-18-19-21-22-24 mm
	C920/21	125 mm
	C920/22	250 mm
	C910/16F	□ 3/8" - ■ 1/2"
	C920/25	
	C920/72	Ⓢ 260 mm

**x
163**



465x330x225mm



12"

2120L-E/T91

021200911

Cantilever tool box with assortment of 91 general maintenance tools, made of sheet metal

- Integrated ABS thermoformed tray



550x200x210 mm

12"



C920A	○	10-11-12-13-14-15-16-17-18-19-20-21 22-23-24-27-30-32 mm	20
C920/72	⊗	250 mm	
C920/25			



C920/21	○	125 mm	5
C920/22		250 mm	
C910/16F	□ 3/8" - ■ 1/2"		
1048C		250 mm	
1771	3x	18 mm	



42C	⊗	8-9-10-11-12-13-14-15-16-17-19 mm	20
96K/SP9	○	1,5-2-2,5-3-4-5-6-8-10 mm	



1202E	●	2,5x50-3x75-4x100-5,5x125-6,5x150 mm	6
1202EN	●	4x30 mm	



860EA/31	⊕ ⊖ ⊕ ⊖ ⊕ ⊖ ⊕ ⊖		37
C900AD	⊕ ⊖		
C900/30		150 mm	
1202E	⊕	PH0x60-PH1x80-PH2x100 mm	
1202EN	⊕	PH1x30 mm	



1082CM	⌞	160 mm	3
1150CM	≡	180 mm	
1166CM	●	160 mm	


C22E

022000130

kg 20

Portable tool chest with 3 drawers

- 3 drawers (435x210x50 mm), with ball bearing slides.
- Upper compartment (505x256x60 mm)
- Front centralized lock.
- Handle on lid
- Retractable side handles for ease of handling.



n°	h	max
3	50 mm	5 kg



1/4" 1/2"

2200E/21

022002201

Portable tool chest with assortment of 159 tools, integrated soft foam tray

	1048C	250 mm
	1128BMXC	150 mm
	1370C	300 g
	1692/5	5 m



x 159



20

- 42C 8-10-11-12-13-14-15-17-19 mm
- 1082CM 160 mm
- 1150CM 180 mm
- 1770A 9 mm
- 1770RL 10x




715

- 861/C61
- 1256/C21-1 4 mm

- 1/4" C900/48 150 mm
C900/25 115 mm
C900/42
C900AD
C900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
C900/20 50 mm
C900/20L 100 mm

- 1/2" C920/72 260 mm
C920/25
C920/22 250 mm
C910/16F 3/8" - 1/2"
C920A 13-14-15-16-17-18-19-21-22 mm



18

- 96BPC/SK9 1,5-2-2,5-3-4-5-6-8-10 mm
- 1201E 2,5x50-3x75-4x100-5,5x125 mm
- 1201EN 4x30
- 1202E PH1x80-PH2x100
- 1202EN PH1X30 mm
- 1253 3,5x100 mm




C43

043000003

Three-module tool trolley

- Sheet metal frames and plastic tops
- 3 detachable modules:
 - 1 upper tool box, 222 mm high
 - 1 central module, 168 mm high, with 2 drawers, 60 mm high
 - 1 lower module, 330 mm high, with up-and-over door, 280 mm high, with castors
- Castors \varnothing 128 mm
- Telescopic handle, can be adjusted in 4 positions
- Module release system with access to all tool compartments
- Upper tool box with removable interior object compartment and 2 tote-trays built into cover





4300E/21
043002201

**Three-module tool trolley C43
with assortment of 212
general maintenance tools**



1256/C21-1

	1256LP	●	1,5-2-2,5 mm
	1256PH	⊕	PH0-PH1
	1256PZ	⊕	PZ0-PZ1
	1256PE	○	0,7-0,9-1,3-1,5-2-2,5-3 mm
	1256TX	⊗	T4-T5-T6-T7
	1256RTX	⊗	T8-T10-T15
		4 mm	99 mm



903E/C42 14"

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900E/55	⊗	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/42		115 mm
	C900/30		150 mm
	96	○	1,3-1,5-2-2,5 mm
	C900AD	⊗ 14"	
	861LP	●	⊗ 0,6x4-0,8x5,5-1,2x6,5 mm
	861PH	⊕	⊗ PH1-PH2-PH3
	861PZ	⊕	⊗ PZ1-PZ2-PZ3
	861PE	○	⊗ 3-4-5-6 mm
	861TX	⊗	⊗ T10-T15-T20-T25-T30



923E/C25 12"

	C920A	○	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
	C920E/55	⊗	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F	□	3/8" - 1/2"



	42C	⊗	7-8-9-10-11-12-13-14-15-16-17-18-19-22 mm
	96BPC/SK9	○	1,5-2-2,5-3-4-5-6-8-10 mm
	111		200 mm
	1048C		250 mm
	1052C		240 mm
	1082CM	⌒	160 mm
	1150CM	≡	180 mm
	1166CM	●	160 mm
	1201E	●	2,5x50-3x75-4x100-5,5x150-6,5x150 mm
	1201EN	●	4x30 mm
	1202E	⊕	PH0x60-PH1x80-PH2x100 mm
	1202EN	⊕	PH1x30 mm
	1128BMXC		150 mm
	1253	●	3,5x100 mm
	1370C		300 g
	1390C		∅ 35 mm
	1692/3		3 m
	1695XS		70 mm
	1771	3x	18 mm
	1771RL		10x
	1725CR		150 mm
	1098C		220 mm
	1719C P	▮	200 mm
	1719C M	▸	200 mm
	1719C R	●	200 mm
	1833XS/2		133 mm Batteries: 2xAAA (not included)

861/C61

●		861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
⊕		861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
⊕		861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
○		861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗		861TX	T9-T10-T15-T20-T25 T27-T30-T40
			○ 1/4 - ● 1/4





2400S 07/E-S

024002221



Mobile roller cab with 7 drawers, with assortment of 240 tools, integrated soft foam tray

- 7 drawers (588x367 mm), with ball bearing slides:
 - 5 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm:
 - 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Thermoplastic worktop
- Built-in side bottle holder.

kg 800



2400S G7/E-S


024002222



2400S R7/E-S

024002223


n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg



Sturdy nylon front



Castors with metal cores for enhanced sturdiness





- 42C** 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm
55C 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
90C 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
111 250 mm



- 1201E** 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN 4x30 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN PH1x30 mm
1207E/TX T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40
96BPC/SK9 1,5-2-2,5-3-4-5-6-8-10 mm



- 1082CM** 160 mm
1150CM 180 mm
1166CM 200 mm
1032-180 19+60 mm
1034-170 19+60 mm
1036-175 19+60 mm
1038-175 19+60 mm
1048C 250 mm
1370C 500 g
1390C Ø 35 mm
32C Ø 4 mm
34C 150 mm
36C 130 mm



- 14"** **C900** 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
C900L 4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm
C900/48 150 mm
C900/25 50 mm
C900/20L 100 mm
C900/42 115 mm
C900/30 150 mm
C900ME 3-4-5-6-7-8 mm
C900TX T06-T07-T08-T09-T10-T15-T20-T25
C900AD 1/4 - 1/2
12" **C920A** 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
C920L 10-12-13-14-15-16-17-18-19-21-22 mm
C920/72 260 mm
C920/25 125 mm
C920/21 250 mm
C920/22 250 mm
C910/16F 3/8" - 1/2"
C920PE 5-6-7-8-9-10-12-14 mm
C920TX T27-T30-T40-T45-T50-T55-T60

861/C61

●	861LP	0,5x3 (2)-0,5x4(2)-0,6x4 5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
+	861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
+	861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
○	861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	861TX	T9-T10-T15-T20-T25 T27-T30-T40
		○ 1/4 - ● 1/4





2400S 07/E-M

024002224

Mobile roller cab with 7 drawers, with assortment of 309 tools, integrated soft foam tray

- 7 drawers (588x367 mm), with ball bearing slides: 5 drawers, 70 mm high 1 drawer, 140 mm high 1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Thermoplastic worktop
- Built-in side bottle holder.



kg 800




2400S G7/E-M
024002225



2400S R7/E-M
024002226



n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg



Sturdy nylon front




Castors with metal cores for enhanced sturdiness





13

- 1082CM 160 mm
- 1150CM 180 mm
- 1166CM 200 mm
- 1032-180 19+60 mm
- 1034-170 19+60 mm
- 1036-175 19+60 mm
- 1038-175 19+60 mm
- 1048C 250 mm
- 1370C 500 g
- 1390C 35 mm
- 32C 4 mm
- 34C 150 mm
- 36C 130 mm



37

- 42C 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
- 96BPC/SK9 1,5-2-2,5-3-4-5-6-8-10 mm



159

14"

- C900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- C900L 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- C900/48 150 mm
- C900/25 50 mm
- C900/20L 100 mm
- C900/42 115 mm
- C900/30 150 mm
- C900ME 3-4-5-6-7-8 mm
- C900TX T06-T07-T08-T09-T10-T15-T20-T25
- C900AD 14"

12"

- C920A 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
- C920L 10-12-13-14-15-16-17-18-19-21-22 mm
- C920/72 260 mm
- C920/25 250 mm
- C920/21 125 mm
- C920/22 250 mm
- C910/16F 3/8" - 1/2"
- C920PE 5-6-7-8-9-10-12-14 mm
- C920TX T27-T30-T40-T45-T50-T55-T60

- 861/C61
- 15
- 10
- 5
- 4
- 3
- 2
- 1



60

3/8"

- C910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- C910AL 8-10-11-12-13-14-17-19 mm
- C910/72 205 mm
- C910/25 75 mm
- C910/21 150 mm
- C910/22 150 mm
- C920/15F 1/2" - 3/8"
- C910PE 4-5-6-7-8-9-10 mm
- C910TX T15-T20-T25-T27-T30-T40-T45
- 55C 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 90C 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm



46

- 1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1201EN 4x30 mm
- 1202E PH0x60-PH1x80-PH2x100-PH3x150
- 1202EN PH1x30 mm
- 1207E/TX T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45

- 1256/C21-1 4 mm



**X
398**

kg 800



2400S 08/E-L

024002241

Mobile roller cab with 8 drawers, with assortment of 398 tools, integrated soft foam tray

- 8 drawers (588x367 mm), with ball bearing slides: 7 drawers, 70 mm high 1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Thermoplastic worktop
- Built-in side bottle holder.






2400S G8/E-L
024002242



2400S R8/E-L
024002243



n°	h	max
7	70 mm	25 kg
1	210 mm	30 kg



37


42C 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
96BPC/SK9 1,5-2-2,5-3-4-5-6-8-10 mm



30

55C 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
90C 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40

196



1/4"

- C900** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- C900L** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- C900FTX** ○ E4-E5-E6-E7-E8-E10
- C900/48** 150 mm
- C900/25** 50 mm
- C900/20** 100 mm
- C900/20L** 150 mm
- C900/30** 115 mm
- C900/42** 115 mm
- C900ME** ○ 3-4-5-6-7-8 mm
- C900TX** ⊕ T06-T07-T08-T09-T10-T15-T20-T25
- C900LP** ● 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- C900PH** ⊕ PH0-PH1-PH2-PH3
- C900AD** ⊕ 1/4"

3/8"

- C910A** ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
- C910AL** ○ 8-10-11-12-13-14-17-19 mm
- C910FTX** ○ E6-E7-E8-E10-E11-E12-E14
- C910/72** 205 mm
- C910/25** 75 mm
- C910/21** 150 mm
- C910/22** 150 mm
- C920/15F** □ 1/2" - ■ 3/8"
- C910PE** ○ 4-5-6-7-8-9-10 mm
- C910TX** ⊕ T15-T20-T25-T27-T30-T40-T45

861/C61



1256/C21-1

○ 4 mm




78



12"

- C920A** ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
- C920L** ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- C920FTX** ○ E10-E12-E14-E16-E18-E20-E22-E24
- C920/72** 260 mm
- C920/25** 125 mm
- C920/21** 250 mm
- C920/22** 250 mm
- C910/16F** □ 3/8" - ■ 1/2"
- C920PE** ○ 5-6-7-8-9-10-12-14 mm
- C920PE/L** ○ 5-6-7-8-9-10-12-14 mm
- C920TX** ⊕ T27-T30-T40-T45-T50-T55-T60
- C920TX/L** ⊕ T30-T40-T45-T50-T55-T60-T70

25



- 1201E** ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1201EN** ● 4x30 mm
- 1202E** ⊕ PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1202EN** ⊕ PH1x30 mm
- 1207E/TX** ⊕ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
- 1253** ● 0,5x100 mm

13



- 1082CM** † 160 mm
- 1150CM** = 180 mm
- 1166CM** ● 200 mm
- 1168CM** ● 200 mm
- 1048C** 250 mm
- 1098C** 220 mm
- 1032-180** ○ 19+60 mm
- 1034-170** ○ 19+60 mm
- 1036-175** ● 19+60 mm
- 1038-175** ● 19+60 mm
- 1052C** 190-240 mm
- 1128BMXC** 150 mm

25



- 30C** Ø 2-3-4 mm
- 31C** Ø 2-3-4-5-6-8 mm
- 32C** Ø 4 mm
- 34C** 150-175-200 mm
- 36C** 130 mm
- 1370C** 500 g
- 1390C** Ø 35 mm
- 1692** 3 m
- 1712** 150+590 mm
- 1719C Q** ■ 200 mm
- 1719C T** ▲ 200 mm
- 1719C P** ▮ 200 mm
- 1719C M** ▸ 200 mm
- 1719C R** ● 200 mm
- 1737MX** 270 mm
- 1771** 3x 18 mm



2400S XL09/E-XL

024002251

Mobile roller cab with 9 drawers, with anti-tilt system, long model, with assortment of 493 tools, integrated soft foam tray

- 9 drawers (882x367 mm), with ball bearing slides:
 - 8 drawers, 70 mm high
 - 1 drawer, 140 mm high.
- Sturdy ABS worktop, with 6 tote-trays
- Study nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm:
 - 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 1000 kg
- Built-in side bottle holder

x 493

kg 1000



2400S XLG9/E-XL

024002252





2400S XLR9/E-XL

024002253



n°	h	↓ max
8	70 mm	30 kg
1	140 mm	35 kg



- 1/4"** C900 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
 C900L ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
 C900FTX ○ E4-E5-E6-E7-E8-E10
 C900/48 150 mm
 C900/25 50 mm
 C900/20 100 mm
 C900/20L 150 mm
 C900/30 115 mm
 C900/42 115 mm
 C900ME ○ 3-4-5-6-7-8 mm
 C900TX ○ T06-T07-T08-T09-T10-T15-T20-T25
 C900LP ○ 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
 C900PH ○ PH0-PH1-PH2-PH3
 C900AD ○

196

- 3/8"** C910A ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
 C910AL ○ 8-10-11-12-13-14-17-19 mm
 C910FTX ○ E6-E7-E8-E10-E11-E12-E14
 C910/72 205 mm
 C910/25
 C910/21 75 mm
 C910/22 150 mm
 C920/15F □ 1/2" - ■ 3/8"
 C910PE ○ 4-5-6-7-8-9-10 mm
 C910TX ○ T15-T20-T25-T27-T30-T40-T45

861/C61
○ ○ ○ ○

1256/C21-1
○ 4 mm



- 12"** C920A ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
 C920L ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
 C920FTX ○ E10-E12-E14-E16-E18-E20-E22-E24
 C920/72 260 mm
 C920/25
 C920/21 125 mm
 C920/22 250 mm
 C910/16F □ 3/8" - ■ 1/2"
 C920PE ○ 5-6-7-8-9-10-12-14 mm
 C920PE/L ○ 5-6-7-8-9-10-12-14 mm
 C920TX ○ T27-T30-T40-T45-T50-T55-T60
 C920TX/L ○ T30-T40-T45-T50-T55-T60-T70

78




30

55C 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
90C 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40



31

42C 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
96BPC/SK9 1.5-2-2.5-3-4-5-6-8-10 mm



13

1082CM 160 mm
1150CM 180 mm
1166CM 200 mm
1168CM 200 mm
1048C 250 mm
1098C 220 mm
1032-180 19+60 mm
1034-170 19+60 mm
1036-175 19+60 mm
1038-175 19+60 mm
1052C 190-240 mm
1128BMXC 150 mm




23

30C 2-3-4 mm
31C 2-3-4-5-6-8 mm
32C 4 mm
34C 150-175 mm
36C 130 mm
1692 3 m
1712TF 150+590 mm
1719C Q 200 mm
1719C T 200 mm
1719C P 200 mm
1719C M 200 mm
1719C R 200 mm
1725 420 mm
1771 3x18 mm
1833XS/2 133 mm



29

123E1/4 1/4"
123Q1/4 1/4"
123Q3/8 3/8"
123Q1/2 1/2"
C720 10-12-13-15-17-19-21-24 mm
C720LC 17-19-21-22 mm
C720/21 125 mm
900/16 1/4" - 3/8"
910/15 3/8" - 1/4"
910/16 3/8" - 1/2"
920/15 1/2" - 3/8"
920/16 1/2" - 3/4"
943FL 6-7-8 mm
1687D 153 mm
1687U 153 mm
1687A 153 mm
1687AC 153 mm



25

1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN 4x30 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN PH1x30 mm
1207E/TX T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
1253 0,5x100 mm



4

1370C 500 g
1380C 1000 g
1390C 35 mm
1737NX



30

141C 8-9-10-11-12-13-14-15-17-19 mm
410E/SP19 1+10 X 0,5 mm
1725CR 250 mm



7

1149F 0,2+6 mm²
1602 0,75+6 mm²
1603 1,25+5,5 mm²
1716R 215 mm
1716P 250 mm
1716U 195 mm
1716A 240 mm



11

97TTXC T8-T9-T10-T15-T20-T25-T27-T30-T40
1650 150 mm
1682 300 mm



8

943E 6-7-8-9-10-11-12-13 mm



8

96TC 2-2,5-3-4-5-6-7-8 mm



2400S XLO9/E-XXL

024002254

Mobile roller cab with 9 drawers, with anti-tilt system, long model, with assortment of 614 tools, integrated soft foam tray

- 9 drawers (882x367 mm), with ball bearing slides:
 - 8 drawers, 70 mm high
 - 1 drawer, 140 mm high.
- Sturdy ABS worktop, with 6 tote-trays
- Study nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm:
 - 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 1000 kg
- Built-in side bottle holder

kg 1000





2400S XLG9/E-XXL
024002255



2400S XLR9/E-XXL
024002256



n°	h	max
8	70 mm	30 kg
1	140 mm	35 kg



97TTXC ⊕ T08-T09-T10-T15-T20-T25-T27-T30-T40
97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40

861/C61



1256/C21-1
○ 4 mm



3/8"

- C910A ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
- C910AL ○ 8-10-11-12-13-14-17-19 mm
- C910FTX ⊕ E6-E7-E8-E10-E11-E12-E14
- C910PE ○ 4-5-6-7-8-9-10 mm
- C910TX ⊕ T15-T20-T25-T27-T30-T40-T45

- C910/21 75 mm
- C910/22 150 mm
- C910/25
- C910/72 205 mm
- C920/15F □ 1/2" - ■ 3/8"

1/4"

- C900 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- C900L ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- C900FTX ⊕ E4-E5-E6-E7-E8-E10
- C900ME ○ 3-4-5-6-7-8-10 mm
- C900TX ⊕ T06-T07-T08-T09-T10-T15-T20-T25
- C900LP ⊕ 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- C900PH ⊕ PH0-PH1-PH2-PH3

- C900AD ⊕ 1/4"
- C900/20 50 mm
- C900/20L 100 mm
- C900/25
- C900/30 150 mm
- C900/42 115 mm
- C900/48 150 mm

614



- 12"** C720L ○ 10-12-13-15-17-19-21-24-27-30 mm
 C720/21 125 mm
 C720/25 64 mm
 C910/16F □ 3/8" - ■ 1/2"
 920/16 □ 1/2" - ■ 3/4"
 C920A ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
 C920FTX ○ E10-E12-E14-E16-E18-E20-E22-E24
 C920PE ○ 5-6-7-8-9-10-12-14 mm
 C920PE/L ○ 5-6-7-8-9-10-12-14 mm
 C920PE/XL ○ 10-12-14 mm
 C920TX ○ T27-T30-T40-T45-T50-T55-T60
 C920TX-L ○ T30-T40-T45-T50-T55-T60-T70
 C920TX-XL ○ T45-T50-T55
 C920L ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
 C920/21 125 mm
 C920/22 250 mm
 C920/25 260 mm
 C920/72 260 mm



- 943E ○ 5-5,5-6-7-8-9-10-11-12-13-14 mm
 1201E ● 2,5x50-3x75-4x100-5,5x125-4,5x150-8x200 mm
 1201EN ● 4x30 mm
 1202E ● PH0x60-PH1X80-PH2x100-PH3x150 mm
 1202EN ● PH1x30 mm
 1207E/TX ○ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45



- 42C ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-23-24-27-30-32 mm
 55C ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
 141C ○ 8-9-10-11-12-13-14-15-16-17-18-19 mm
 123E1/4
 123Q1/4
 123Q3/8
 123Q1/2



- 666N/20 12 40+200Nm
 C720 ○ 10-12-13-15-17-19-21-24-27-30 mm
 C720LC ○ 17-19-21-22 mm
 867PE ○ 4-5-6-7-8-10-12 mm
 867PE-L ○ 4-5-6-7-8-10-12 mm
 867XZN ○ 4-5-6-8-10-12 mm
 867XZN-L ○ 5-6-8-10-12 mm
 867TX ○ T20-T52-T30-T40-T45-T50-T55
 867TX/L ○ T20-T52-T30-T40-T45-T50-T55
 867RTX ○ T20-T52-T30-T40-T45-T50-T55
 867/1 ○ 10 mm - □ 3/8"
 867/2 ○ 10 mm - □ 1/2"
 867RIBE ○ M5-M6-M7-M8-M9-M10-M11-M12-M13
 867RIBE/L ○ M5-M6-M7-M8-M9-M10-M11-M12-M13
 1253 ● 0,5x100 mm
 1257LP ● 2,0-2,5-3,0-3,5-4,0 mm
 1257PH ● PH00-PH0-PH1
 1257TX ○ T05-T06-T07-T08-T09-T10-T15-T20
 96BPC/SK9 ○ 1,5-2-2,5-3-4-5-6-8-10 mm
 410E/SP19 Ø 1+10 X 0,5 mm



- 30C Ø 2-3-4 mm
 31C Ø 2-3-4-5-6-8 mm
 32C Ø 4 mm
 34C 150-200 mm
 36C 130 mm
 1032-180 ○ 19+60 mm
 1034-170 ○ 19+60 mm
 1036-175 ● 19+60 mm
 1038-175 ● 19+60 mm
 1048C 250mm
 1052C 190-240 mm
 1082CM † 160 mm
 1150CM = 180 mm
 1166CM ● 200 mm
 1168CM ● 200 mm
 1370C 300 g
 1380C 1000 g
 1390C Ø 35 mm



- 90C ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
 96TC ○ 2-2,5-3-4-5-6-7-8-10 mm
 1098C 220 mm
 1128BMXC 150 mm
 1149F 0,2+6 mm²
 1602 0,75+6 mm²
 1603 1,25+5,5 mm²
 1719C Q ■ 200 mm
 1719C T ▲ 200 mm
 1719C P ▮ 200 mm
 1719C M ▽ 200 mm
 1719C R ● 200 mm



- 83 ○ 11x13-14x17-19x22 mm
 943FL ○ 6-7-8 mm
 1650 150 mm
 1682 300 mm
 1687D 153 mm
 1687U 153 mm
 1687A 153 mm
 1687AC 153 mm
 1692 5 m
 1712TF 150+590 mm
 1716A 240 mm
 1716R 215 mm
 1716P 250 mm
 1716U 195 mm
 1725 420 mm
 1725CR 250 mm
 1737NX 270 mm
 1771 18 mm
 1771RL 10x
 1833XS/2 133 mm

WORKSHOP EQUIPMENT COMBINATION C45PRO

New Item

C45PRO

Combination comprising:

- Fixed module with 7 drawers (C45PRO M7)
- Fixed service module (C45PRO MS)
- Mobile roller cab with 7 drawers (C45PRO C7)
- Two-door tool cabinet (C45PRO AS2)
- 3 perforated tool panels (C45PRO PF)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)



045000001 C45PRO X

- Worktop made of coated MDF stainless steel (C45PX/3-2,0MT)




305 kg

045000002 C45PRO W

- Multi-ply wood worktop (C45PW/3-2,0MT)



303 kg



C45PRO A

Combination comprising:

- Fixed module with 7 drawers (C45PRO M7)
- Fixed service module (C45PRO MS)
- Fixed two-door module (C45PRO MA)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)



045000003 C45PRO AX

- Stainless steel coated MDF worktop (C45PX/3-2,0MT)




206 kg

045000004 C45PRO AW

- Multi-ply wood worktop (C45PW/3-2,0MT)



204 kg



C45PRO B

Combination comprising:

- Fixed module with 5 drawers (C45PRO M5)
- Fixed two-door module (C45PRO MA)
- Single-door tool cabinet (C45PRO AS1)
- 2 wall-mounted cabinets (C45PRO PM)
- 2 perforated tool panels (C45PRO PF)
- 2 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)

045000021 C45PRO BX

- Stainless steel coated MDF worktop (C45PX/2-1.3MT)

191 kg

045000022 C45PRO BW

- Multi-ply wood worktop (C45PW/2-1.3MT)


190 kg



C45PRO D

Combination comprising:

- 1 fixed module with 7 drawers (C45PRO M7)
- 1 mobile roller cab with 7 drawers (C45PRO C7)
- 1 fixed service module (C45PRO MS)
- 1 fixed module with 5 drawers (C45PRO M5)
- 1 two-door fixed module (C45PRO MA)
- 5 perforated tool panels (C45PRO PF)
- 5 wall-mounted cabinets (C45PRO PM)
- 7 wall brackets, wide type (C45PRO SL)
- 2 wall brackets, narrow type (C45PRO SS)
- 2 single-door cabinets (C45PRO AS1)



045000031 C45PRO DX


- 1 stainless steel coated MDF worktop (C45PX/3-2.0MT)
- 1 stainless steel coated MDF worktop (C45PX/2-1.3MT)
- 1 self-supporting complete corner with stainless steel coated MDF worktop (C45PRO C/X)



572 kg

045000032 C45PRO DW

- 1 multi-ply wood worktop (C45PW/3-2.0MT)
- 1 multi-ply wood worktop (C45PW/2-1.3MT)
- 1 self-supporting complete corner with wood worktop (C45PRO C/W)



568 kg




5945E/2021

059450301

Assortment of 271 tools
for universal use,
in soft EVA foam trays



for **C45PRO**



30

42C 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
96BPC/SK9 1,5-2-2,5-3-4-5-6-8-10 mm

36

1082CM 160 mm
1150CM 180 mm
1166CM 160 mm
1032-180 19+60 mm
1034-170 19+60 mm
1036-175 19+60 mm
1038-175 19+60 mm
1048C 250 mm
1052C 240 mm
97TTXC T10-T15-T20-T25-T30
1256/C21-1 4 mm

18

96TC 2-2,5-3-4-5-6-7-8 mm
1370C 300 g
1390C 35 mm
34C 150-175-200 mm
1719C Q 200 mm
1719C T 200 mm
1719C P 200 mm
1719C M 200 mm
1719C R 200 mm

25

1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN 4x30 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN PH1x30 mm
1207E/TX T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
1253 3,5x100 mm

162

1/4" **895/1 C900** 1/4" - 1/4"
 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
C900L 5-6-7-8-9-10-11-12-13 mm
C900ME 3-4-5-6-7 mm
C900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
C900PH PH1-PH2-PH3-PH4
C900TX T10-T15-T20-T25-T27-T30
C900/20 50 mm
C900/20L 100 mm
C900/25 150 mm
C900/30 150 mm
C900/42 115 mm
C900/48 150 mm
895/6 C920A 5/16" - 1/2"
 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
C920/25 125 mm
C920/21 125 mm
C920/22 250 mm
C910/16F 3/8" - 1/2"
C920/72 260 mm
3/8" **895/3 CC910A** 1/4" - 3/8"
 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
C920/15F 1/2" - 3/8"
C910/21 75 mm
C910/22 150 mm
C910/25 150 mm
C910/72 205 mm
C956E 16-18-21 mm
861/C61

Beta — EASY —



The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.

Beta

winning, together

Fabio Quartararo
MotoGP World Champion 2021



Partnership 2021

099804525



Beta Utensili S.p.A. | via Volta, 18 | 20845 Sovico (MB) | tel +39 039 20771
www.beta-tools.com